

Google patents

confidence value

Search Pat

Filing date

Return patents filed anytime

Return patents filed between Jan 1970 and May

Patents

Patents 1 - 20 on confidence value. (4.04 seconds)

List view

Cover view

Sort by relevance

Sort by date (new first)

Sort by date (old first)

Any status

Issued patents

Applications

Method and system for constructing a knowledge profile of a user having ...

US Pat. 6115709 - Filed Sep 18, 1998 - Tacit Knowledge Systems, Inc.

At step 556, a 50 **confidence level value** for a term is calculated ...

Accordingly, by controlling the rate at which a **confidence value** for a term is lowered ...

Method and apparatus for assigning a **confidence level** to a term within a ...

US Pat. 6832224 - Filed Apr 1, 2002 - Tacit Software, Inc.

Supplemental Method of Identifying **Confidence Value** FIGS. ... It will be appreciated that by calculating a **confidence level value** utilizing the method

...

High density two-dimensional bar code symbol

US Pat. 5304786 - Filed Jan 5, 1990 - Symbol Technologies, Inc.

... a final **confidence value** by subtracting the updated **confidence 55 value** from

the initial **confidence value**, and for storing the final **confidence value** in ...

Apparatus and method for OCR character and **confidence determination** using ...

US Pat. 5805747 - Filed Jan 13, 1997 - Science Applications International Corporation

In general, the combined **confidence value** represents a combination or ...

At step S104, the selected character and its combined **confidence value** is output

...

Neural network with back propagation controlled through an output **confidence** ...

US Pat. 5052043 - Filed May 7, 1990 - Eastman Kodak Company

The **value of the confidence** measure for this output vector will be relatively high, in this case 25 0.8/0.3or approximately 2.67. ...

Method, system and apparatus for authorizing access by a first user to a ...

US Pat. 6253262 - Filed Sep 18, 1998 - Tacit Knowledge Systems, Inc.

At step 556, a 50 **confidence level value** for a term is calculated ...

However,

this **confidence level value** is only calculated for occurrences of the



1 2 3 4 5 6 7 8 9 10

Next

confidence value

Search Patents

Advanced Patent Search

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google

patents

Search Patents

Filing date

☐ Return patents filed anytime

☒ Return patents filed between 1970 and

Patents

Patents 1 - 20 on **confidence value signature**. (0.10 seconds)

• [List view](#)

[Cover view](#)

• [Sort by relevance](#)

[Sort by date \(new first\)](#)

[Sort by date \(old first\)](#)

• [Any status](#)

[Issued patents](#)

[Applications](#)

System and method for detection of fraud in a wireless telephone system

US Pat. 5956634 - Filed Feb 28, 1997 - Cellular Technical Services Company, Inc.

As previously discussed, the **signature** analyzer 116 (see FIG. 4) generates a **data value** and a **confidence value** for each of the transmission characteristics.

...

Knowledge-based document analysis system

US Pat. 5937084 - Filed May 22, 1996 - NCR Corporation

If it is not hand print a **confidence value** of -0.5 is assigned. For the position of the **signature** field it should be bounded by the box formed by 0.7, 0.9, ...

Wireless location using multiple location estimators

US Pat. 6249252 - Filed Apr 23, 1999 - TracBeam LLC

Thus, if the **confidence value** is, for example, excessively low then the area ... essentially, a query or index into the location **signature** data base 1320 ...

Automatic signature verification

US Pat. 5251265 - Filed Oct 25, 1991 - International Business Machines Corporation

1 a **signature** input () is the first step of a **signature** verification system. ... Its **value** is 75% for example and its position is within the **confidence** band ...

Produce identification and pricing system for checkouts

US Pat. 6363366 - Filed Aug 31, 1998

10 **confidence value** associated with the match is also preferably output to ... For example, the image data may be transformed to a **signature** based on two ...

Apparatus and method for OCR character and confidence determination using ...

US Pat. 5805747 - Filed Jan 13, 1997 - Science Applications International Corporation

As the system proceeds through the loop represented by steps S4-S9, the 15 that of the **signature** line 4: **value** Total (t) is increased according to the ...



1 2 3 4 5 6 7 8 9 10

Next

confidence value signature

Search Patents

Advanced Patent Search

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google

patents confidence value intrusion

Search Patents

Filing date

Return patents filed anytime

Return patents filed between Jan 1970 and May

Patents

Patents 1 - 20 on confidence value intrusion. (0.05 seconds)

List view

Cover view

Preprocessing means for use in a pattern classification system
US Pat. 5657397 - Filed Feb 15, 1994
If the **confidence value** of the first member of the possibility set is less ... (b) defining a measure of **intrusion** of reference feature vectors not of said ...

Sort by relevance

Sort by date (new first)

Sort by date (old first)

System and method for detecting computer intrusions
US Pat. 6996843 - Filed Aug 30, 2000 - Symantec Corporation
The **confidence** (credibility) **value** is also affected by the data that is present:

... A system for detecting **intrusion** on a host, comprising: a) a source of ...

Any status

Issued patents

Applications

Extensible intrusion detection system
US Pat. 7065657 - Filed Aug 30, 2000 - Symantec Corporation
It can also be viewed as the inverse of the likelihood that the goal is false: evidence that the goal is false lowers the **confidence** (credibility) **value**. ...

Method and system for wireless intrusion detection prevention and security ...

US Pat. 7295831 - Filed Feb 7, 2004 - 3E Technologies International, Inc.

When any mistrust level reaches or exceeds the **value** of three, ...

Confidence

level (eg, real number between zero and one) in the detected wireless anomaly.

...

System and method for analyzing filesystems to detect intrusions

US Pat. 6647400 - Filed Aug 30, 2000 - Symantec Corporation

In an embodiment of the invention, the **intrusion** detection 2s system looks for

... it makes two deductions: 1) High **confidence** that someone obtained root ...

Automatic rearview mirror, vehicle lighting control and vehicle interior ...

US Pat. 5877897 - Filed Jun 7, 1995 - Donnelly Corporation

The values degree of **confidence** or reliability required in the match/mismatch

conditions of steps S405 and S406. For the vehicle **intrusion** ...

Cryptographic system

US Pat. 6378072 - Filed Feb 3, 1998 - Compaq Computer Corporation

Here, to protect itself from unwanted **intrusion**, the cryptographic system ... file matches hash **value** 540, then a level of **confidence** that the program



confidence value intrusion

Search Patents

Advanced Patent Search

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google patents

confidence value intrusion increase decrease

Search Pat

Filing date

 Return patents filed anytime

 Return patents filed between and

Patents

Patents **1 - 3** on **confidence value intrusion increase decrease**. (0.12 seconds)

• **List view**

[Cover view](#)

• **Sort by relevance**

[Sort by date \(new first\)](#)

[Sort by date \(old first\)](#)

• **Any status**

[Issued patents](#)

[Applications](#)

Preprocessing means for use in a pattern classification system

US Pat. 5657397 - Filed Feb 15, 1994

In general, **confidence** cut-off values **decrease** (ie become more stringent) as

width values **increase**. Referring now to FIG. 27b. a second method of assigning

...

[APPLICATION] Probabilistic alert correlation

US Pat. 9944768 - Filed Aug 31, 2001

For example, an **intrusion** detection system may generate two alerts, ...


Transition models attempt to assign a "time **value**" to alert **confidence**, ...

[High performance liquid chromatography method and apparatus](#)

US Pat. 5919368 - Filed Dec 8, 1997 - Cohesive Technologies, Inc.

Hg **intrusion** analysis, a well-known technique, can be used to determine the ...

value at which the slope of the h/v curve begins to **decrease** along the ...

 Stay up to date on these results using the patents RSS feed on [confidence value intrusion increase decrease](#).

confidence value intrusion increase decrease

Search Patents

[Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google

patents confidence value intrusion increment decreme

Search Pat

Filing date

Return patents filed anytime

Return patents filed between Jan 1970 and May

Patents

Patents 1 - 1 on confidence value intrusion increment decrement. (0.04 seconds)

List view

Cover view

Method and system for wireless intrusion detection prevention and security ...

US Pat. 7235831 - Filed Feb 7, 2004 - 3E Technologies International, Inc.

Confidence level (eg, real number between zero and one) in the detected wireless

anomaly. Type of wireless anomaly Mistrust level **decrement** interval 104 ...

Sort by relevance

Sort by date (new first)

Sort by date (old first)

Stay up to date on these results using the patents RSS feed on confidence value intrusion increment decrement.

Any status

Issued patents

Applications

confidence value intrusion increment decreme

Search Patents

Advanced Patent Search

Google Home - About Google - About Google Patents - Google Patents Help

©2009 Google

Google

patents

Filing date

☐ Return patents filed anytime

☒ Return patents filed between and

Patents

Patents **1 - 14** on **confidence value intrusion adjust**. (0.02 seconds)

▸ **List view**

[Cover view](#)

▸ **Sort by relevance**

[Sort by date \(new first\)](#)

[Sort by date \(old first\)](#)

▸ **Any status**

[Issued patents](#)

[Applications](#)

System and method for analyzing filesystems to detect intrusions

US Pat. 6647400 - Filed Aug 30, 2000 - Symantec Corporation

In an embodiment of the invention, the **intrusion** detection 2s system looks for

... it makes two deductions: 1) High **confidence** that someone obtained root ...

System and method for detecting computer intrusions

US Pat. 6996843 - Filed Aug 30, 2000 - Symantec Corporation

In an embodiment of the invention, the **intrusion** detection 30 system looks for

... it makes two deductions: 1) High **confidence** that someone obtained root ...

Extensible intrusion detection system

US Pat. 7065657 - Filed Aug 30, 2000 - Symantec Corporation

20 In an embodiment of the invention, the **intrusion** detection system looks for

... it makes two deductions: 1) High **confidence** that someone obtained root ...

System and method for using signatures to detect computer intrusions

US Pat. 7032114 - Filed Aug 30, 2000 - Symantec Corporation

20 In an embodiment of the invention, the **intrusion** detection system looks for

... it makes two deductions: 1) High **confidence** that someone obtained root ...

System and method for using login correlations to detect intrusions

US Pat. 7085936 - Filed Aug 30, 2000 - Symantec Corporation

In an embodiment of the invention, the **intrusion** detection system looks for ...

it makes two deductions: 50 1) High **confidence** that someone obtained root ...

Method and system for wireless intrusion detection prevention and security ...

US Pat. 7295831 - Filed Feb 7, 2004 - 3E Technologies International, Inc.

When any mistrust level reaches or exceeds the **value** of three, ...

Confidence

level (eg, real number between zero and one) in the detected wireless

confidence value intrusion adjust

Search Patents

Advanced Patent Search

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google patents

confidence value intrusion signature

Search Patents

Filing date

Return patents filed anytime

Return patents filed between Jan 1970 and May 2004

Patents

Patents 1 - 20 on confidence value intrusion signature. (0.04 seconds)

List view

Cover view

Sort by relevance

Sort by date (new first)

Sort by date (old first)

Any status

Issued patents

Applications

System and method for using signatures to detect computer intrusions

US Pat. 7032114 - Filed Aug 30, 2000 - Symantec Corporation

The **confidence** (credibility) **value** is also affected by the data that is present:

... A system for detecting intrusions, comprising: a) a **signature** computing ...

Cryptographic system

US Pat. 6378072 - Filed Feb 3, 1998 - Compaq Computer Corporation

Here, to protect itself from unwanted **intrusion**, the cryptographic system 100

... Digital **signature** 550 is created by encrypting the hash **value** 40 with a ...

[APPLICATION] Prioritizing **intrusion** detection logs

US Pat. 10832692 - Filed Apr 22, 2004

If there is no corresponding **signature** found, the data stack 11 can supply the

... to the **confidence** level in the match and/or a risk assessment **value**, ...

Method and apparatus for securely transmitting and authenticating biometric ...

US Pat. 6332193 - Filed Jan 16, 1999 - Sensor, Inc.

The security function will remain in effect until **intrusion** is detected or the ... the code generator to create a digital **signature** for each frame of image ...

[APPLICATION] Method and system for addressing **intrusion** attacks on a computer system

US Pat. 10701653 - Filed Nov 5, 2003

... scaling factors will always be given a **value** of 0.95 for the information associated when the factor would improve the **confidence** level in the **signature**, ...

Cryptographic system enabling ownership of a secure process

US Pat. 7055029 - Filed Sep 7, 2001 - Hewlett-Packard Development Company, L.P.

Here, to protect itself from unwanted **intrusion**, the cryptographic system ... Digital **signature** 550 is created by encrypting the hash **value** with a private ...

Method and system for fusing data from fixed and mobile security sensors

confidence value intrusion signature

Search Patents

Advanced Patent Search

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google patents **confidence OR trust value OR level intrusion s**

Search Pat

Filing date

☐ Return patents filed anytime

☒ Return patents filed between 1970 and

Patents

Patents 1 - 20 on **confidence OR trust value OR level intrusion signature**. (0.04 seconds)

• List view

[Cover view](#)

• Sort by relevance

[Sort by date \(new first\)](#)

[Sort by date \(old first\)](#)

• Any status

[Issued patents](#)

[Applications](#)

System and method for using signatures to detect computer intrusions

US Pat. 7032114 - Filed Aug 30, 2000 - Symantec Corporation

The **confidence** (credibility) **value** is also affected by the data that is present:

... A system for detecting intrusions, comprising: a) a **signature** computing ...

[APPLICATION] **Prioritizing intrusion detection logs**

US Pat. 10832692 - Filed Apr 22, 2004

If there is no corresponding **signature** found, the data stack 11 can supply the

... to the **confidence level** in the match and/or a risk assessment **value**, ...

Method and apparatus for securely transmitting and authenticating biometric ...

US Pat. 6332183 - Filed Jan 18, 1999 - Sensor, Inc.

The **security** function will remain in effect until **intrusion** is detected or ... be assumed to not have been altered with an extremely high **confidence level** ...

[APPLICATION] **Method and system for addressing intrusion attacks on a computer system**

US Pat. 10701653 - Filed Nov 5, 2003

... scaling factors will always be given a **value** of 0.95 for the information associated when the factor would improve the **confidence level** in the **signature**, ...

System and method for wireless LAN dynamic channel change with honeypot trap

US Pat. 7042852 - Filed Jun 3, 2002 - AirDefense, Inc.

If the attack **signature** is identified, the 65 **intrusion** detection system ... of all IDS test are then compared and a **confidence level** computed in step 345. ...

Cryptographic system

US Pat. 6376072 - Filed Feb 3, 1998 - Compaq Computer Corporation

Finding that the format is correct provides a **level of confidence** that the ... Digital **signature** 550 is created by encrypting the hash **value** 40 with a ...

[APPLICATION] **Method for configuring a network intrusion detection system**



confidence OR trust value OR level intrusion

Search Patents

Advanced Patent Search

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google